



WALL

RITTENHOUSE SQUARE™
GLAZED CERAMIC

 **daltile®**
IMAGINE WHAT'S POSSIBLE™



Cover photo features Rittenhouse Square™ Arctic White 3 x 6 wall tile on the sink backsplash. Above photo features Rittenhouse Square™ Elemental Tan 3 x 6 wall tile on the kitchen backsplash.

Classic Elegance

Fall in love with the time-honored look of Rittenhouse Square. This trendy, yet enduring collection has a color palette vast enough to fit any style.

- DESIGN VERSATILITY
 - Subway tile that works with traditional or modern design styles
 - Vast color palette works with a multitude of color schemes
- COORDINATING OPTIONS
 - Coordinating brick-joint mosaic and trim available
 - Colors coordinate with Modern Dimensions™ and Semi-Gloss™ and Matte™ lines, offering more design options



POST-CONSUMER RECYCLED MATERIALS



PRE-CONSUMER RECYCLED MATERIALS

All or select items within this series meet the requirements for these qualifications. For more information visit daltile.com.

USAGE

Floors

Walls

Countertops




W

C


RITTENHOUSE SQUARE™

GLAZED CERAMIC


SEMI-GLOSS



ARCTIC WHITE
0190 (2) ■■ ■+



WHITE
0100 (2) ■■ ■+



WHITE
K101 (2) ■



BISCUIT
K175 (2) ■+



ALMOND
0135 (2) ■■ ■



ALMOND
K165 (2) ■



URBAN PUTTY
0161 (3)



ARCHITECTURAL
GRAY 0109 (3)



DESERT GRAY
X114 (2) +



ELEMENTAL
TAN 0166 (3)



BLACK
K111 (3) ■

MADE-TO-ORDER COLORS



CRISP LINEN
0139 (4)



CORN SILK
0160 (4)



LUMINARY
GOLD 0142 (4)



GOLD COAST
0191 (4)



SUNFLOWER
DH50 (4)



GARDEN SPOT
0141 (4)




SPA
0148 (4)



AQUA GLOW
0197 (4)



WATERFALL
0169 (4)



ICE GREY
K176 (4)



SUEDE GREY
0182 (4)



UPTOWN TAUPE
0132 (4)



MATTE UPTOWN
TAUPE 0732 (4)



ARTISAN
BROWN 0144 (3)



MATTE ARTISAN
BROWN 0744 (3)



GALAXY
1469 (4)



COBALT
DM14 (4) ★




NAVY
K189 (4) ★



VERMILLION
ODM1 (5) ★

MATTE



MATTE ARCTIC
WHITE 0790 (1) +



MATTE BISCUIT
K775 (1) +



MATTE ALMOND
X735 (1)



MATTE URBAN
PUTTY 0761 (3)




MATTE
ARCHITECTURAL
GRAY 0709 (3)



MATTE DESERT
GRAY X714 (2)



MATTE
ELEMENTAL TAN
0766 (3)



MATTE BLACK
K711 (3)

BEVEL WALL TILE



ARCTIC WHITE 0190
MATTE ARCTIC
WHITE 0790



WHITE 0100



BISCUIT K175
MATTE BISCUIT K775



DESERT GRAY X114

DECORATIVE ACCENT



SHELF RAIL
(Available in Arctic White 0190, White 0100, White K101, Biscuit K175, Almond 0135, Almond K165, and Black K111)

(1), (2), (3), (4) and (5) indicate Price Groups, (1) being the least expensive. All colors available in 3 x 6 flat wall tile.

Made-to-order colors require 6-8 weeks for delivery from date of order.

■ 2 x 4 brick-joint size available. Other colors (including matte finish) available via special order (not available in group 4 colors).

■ Shelf Rail available

+ 3 x 6 Bevel tile available; other colors available through ColorMatch™.

★ Subject to crazing; black grout not recommended.

WALL

RITTENHOUSE SQUARE™

GLAZED CERAMIC

SIZES

			Thickness	Sq. Ft./ Carton	Pieces/ Carton
	3 x 6 Wall Tile	(3" x 6") (7.60 cm x 15.20 cm)	5/16"	12.50	100
	3 x 6 Bevel Wall Tile	(3" x 6") (7.60 cm x 15.20 cm)	3/8"	10.40	80
	2 x 4 Brick-joint mosaic (Dot-mounted)	(12" x 12" Sheet) (30.48 cm x 30.48 cm Sheet)	1/4"	10.00	12
	2 x 6 Shelf Rail	(2-3/16" x 6") (5.50 cm x 15.20 cm)	N/A	N/A	8
	2 x 2 Shelf Rail Corner	(2-3/16" x 2-3/16") (5.50 cm x 5.50 cm)	N/A	N/A	12

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓*▲
Pool Linings	N/A	✓

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest™, visit daltile.com/DCOF.








APPLICATION NOTES:

Suitable for exterior applications in non-freezing climates, when proper installation methods are followed.


* Beveled and semi-gloss tile not suitable for countertops.

▲ Darker colors may show scratches.

TRIM

Type	Number	Size	Pieces/ Carton
 Wall Bullnose (on 6" side)	S-4369	3 x 6	100
 Wall Bullnose (on 3" side)	S-4639	3 x 6	100
 Wall Bullnose Corner Right	SCR-4369	3 x 6	100
 Wall Bullnose Corner Left	SCL-4369	3 x 6	100
 Cove Base	A-3361	3 x 6	36
 Cove Base Corner Right	SCR-3361	3 x 6	36
 Cove Base Corner Left	SCL-3361	3 x 6	36

INSTALLATION

Grout Joint Recommendation	Shade Variation
Wall: 1/16" Mosaic: 1/8"	 Low (V1)

PERFORMANCE CHARACTERISTICS

	ASTM#	Wall Result	Mosaic Result
Water Absorption	C373	< 20.0%	< 3.0%
Breaking Strength	C648	120-230 lbs	> 250 lbs
Scratch Hardness	MOHS	4.0-6.0	6.0-7.5
Chemical Resistance	C650	Resistant	Resistant
Abrasion Resistance	C1027	N/A	N/A

For additional information on test results, visit us at: daltile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at daltile.com/Factors.



DESIGNED TO HELP EARN LEED™
CREDITS. For more detailed information,
visit daltilegreenworks.com.

7834 C.F. Hawn Freeway,
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of
Daltile® products and information,
visit our website at daltile.com.



IMAGINE WHAT'S POSSIBLE™

©2017 Daltile (12/17.1)